

PEXLITH

CERTIFICATE OF ANALYSIS

**KLOW 80 - GHK-Cu (50mg) / KPV (10mg) /
BPC-157 (10mg) / TB500 (10mg)**

BATCH / LOT

KLOW80N092625

TESTING DATE

2025-10-13

TESTING LABORATORY

See report

Pexlith company branding. Laboratory test data, signatures and verification information retained.

TEST REPORT



E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #82503

Testing ordered > 03 OCT '25

Sample received > 08 OCT '25

Client	Pexlith
Sample	KPV/ GHK-cu/ BPC-157/TB500 blend
Manufacturer	Pexlith
Batch	KLOW80N092625

Sample description >

See picture or pictures attached.

Tests requested >

Assessment of a peptide vial or vials.

Results >



GHK-Cu	54.77 mg; 53.52 mg; 54.63 mg.
BPC-157	12.08 mg; 11.72 mg; 11.93 mg.
TB-500 (TB4)	10.25 mg; 10.06 mg; 10.28 mg.

Comments >

KPV: 10.31 mg; 10.14 mg; 10.35 mg.

Analysis conducted > 13 OCT 2025

Signature >

Verify this test at www.janoshik.com/verify/ with the following unique key

GS3Q1N5LP6K5