

PEXLITH

CERTIFICATE OF ANALYSIS

**KLOW 80 - GHK-Cu (50mg) / KPV (10mg) /
BPC-157 (10mg) / TB500 (10mg)**

BATCH / LOT

KLOW80N061226

TESTING DATE

2026-06-30

TESTING LABORATORY

Accumark Labs

Pexlith company branding. Laboratory test data, signatures and verification information retained.



Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

KPV + GHK-Cu + BPC-157 +
TB500 (Thymosin Beta 4)
NGEF-RJHB
06/24/2026
06/30/2026



DECLARED IDENTITY KPV, GHK-Cu, BPC-157, TB500
(Thymosin Beta 4)



MATRIX TYPE: PEPTIDE BLEND

SAMPLE NAME: KPV + GHK-Cu + BPC-157 + TB500
(Thymosin Beta 4)



92.33 mg
Total Quantity

SAMPLE SIZE: 80.0 mg


LOT CODE: KLOW80N061226



99.60%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	KPV, GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	KPV, GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	92.33 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	99.60%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
06/30/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
06/30/2026

ACCUMARKLABS.COM
NGEF-RJHB
06/30/2026





Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

KPV + GHK-Cu + BPC-157 +
TB500 (Thymosin Beta 4)
NGEF-RJHB
06/24/2026
06/30/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
KPV	IDENTITY	KPV	KPV	CONFORMS
KPV	QUANTITY	MEASURE	11.166 mg	MEASURED
KPV	PURITY	> 98.0%	99.043%	CONFORMS
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	60.724 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.738%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	10.511 mg	MEASURED
BPC-157	PURITY	> 98.0%	99.361%	CONFORMS
TB500 (Thymosin Beta 4)	IDENTITY	TB500 (Thymosin Beta 4)	TB500 (Thymosin Beta 4)	CONFORMS
TB500 (Thymosin Beta 4)	QUANTITY	MEASURE	9.932 mg	MEASURED
TB500 (Thymosin Beta 4)	PURITY	> 98.0%	99.652%	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:

Anthony Burke PhD
Lab Manager
06/30/2026

Dr. Levi Fried MD
Lab Director
06/30/2026

ACCUMARKLABS.COM
NGEF-RJHB
06/30/2026

