

PEXLITH

CERTIFICATE OF ANALYSIS

**GLOW 70 - GHK-CU (50mg) / BPC-157 (10mg)
/ TB500 (10mg)**

BATCH / LOT

GLO70N071226

TESTING DATE

2026-08-21

TESTING LABORATORY

Accumark Labs

Pexlith company branding. Laboratory test data, signatures and verification information retained.



Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Thymosin + Ipa: GLOW
9HCP-378J
08/17/2026
08/21/2026



DECLARED IDENTITY

GHK-Cu, BPC-157, TB500
(Thymosin Beta 4)



Variance
3 Vials

MATRIX TYPE:

PEPTIDE BLEND

SAMPLE NAME:

GLOW



77.77 mg
Total Quantity

SAMPLE SIZE:

70.0 mg

LOT CODE:


GLO70N071226



99.79%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	mean 77.77 mg · SD 1.27 · %RSD 1.63% · n=3	MEASURED
Peptide Blend	PURITY	> 98.0%	mean 99.79% · SD 0.02 · %RSD 0.02% · n=3	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
08/21/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
08/21/2026

ACCUMARKLABS.COM
9HCP-378J
08/21/2026





Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Tosamotin + Ipa GLOW
9HCP-378J
08/17/2026
08/21/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
GHK-Cu	IDENTITY	GHK-Cu	Conforms 3/3	Conforms 3/3
GHK-Cu	QUANTITY	MEASURE	mean 56.33 mg · SD 0.90 · %RSD 1.59% · n=3	MEASURED
GHK-Cu	PURITY	> 98.0%	mean 99.77% · SD 0.02 · %RSD 0.02% · n=3	CONFORMS
BPC-157	IDENTITY	BPC-157	Conforms 3/3	Conforms 3/3
BPC-157	QUANTITY	MEASURE	mean 11.23 mg · SD 0.19 · %RSD 1.66% · n=3	MEASURED
BPC-157	PURITY	> 98.0%	mean 99.71% · SD 0.02 · %RSD 0.02% · n=3	CONFORMS
TB500 (Thymosin Beta 4)	IDENTITY	TB500 (Thymosin Beta 4)	Conforms 3/3	Conforms 3/3
TB500 (Thymosin Beta 4)	QUANTITY	MEASURE	mean 10.20 mg · SD 0.20 · %RSD 1.98% · n=3	MEASURED
TB500 (Thymosin Beta 4)	PURITY	> 98.0%	mean 99.95% · SD 0.00 · %RSD 0.00% · n=3	CONFORMS

RESULTS CERTIFIED BY:

Anthony Burke PhD
Lab Manager
08/21/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
08/21/2026

ACCUMARKLABS.COM
9HCP-378J
08/21/2026





Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Tosametin + Ipa:GLOW
9HCP-378J
08/17/2026
08/21/2026

VIAL	BPC-157		
	Identity	Quantity mg	Purity %
● Vial 1	BPC-157	11.025 mg	99.727%
● Vial 5	BPC-157	11.282 mg	99.691%
● Vial 6	BPC-157	11.388 mg	99.719%

VIAL	TB500 (Thymosin Beta 4)		
	Identity	Quantity mg	Purity %
● Vial 1	TB500 (Thymosin Beta 4)	9.973 mg	99.955%
● Vial 5	TB500 (Thymosin Beta 4)	10.296 mg	99.956%
● Vial 6	TB500 (Thymosin Beta 4)	10.345 mg	99.951%

VIAL	GHK-Cu		
	Identity	Quantity mg	Purity %
● Vial 1	GHK-Cu	55.443 mg	99.758%
● Vial 5	GHK-Cu	56.312 mg	99.758%
● Vial 6	GHK-Cu	57.238 mg	99.797%

RESULTS CERTIFIED BY:

Anthony Burke PhD
Lab Manager
08/21/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
08/21/2026

ACCUMARKLABS.COM
9HCP-378J
08/21/2026

