

PEXLITH

CERTIFICATE OF ANALYSIS

**GLOW 50 - GHK-CU (30mg) / BPC-157 (10mg)
/ TB500 (10mg)**

BATCH / LOT

GLO50N042726

TESTING DATE

2026-05-15

TESTING LABORATORY

Accumark Labs


Pexlith company branding. Laboratory test data, signatures and verification information retained.



Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

GHK-Cu + BPC-157 + TB500
(Thymosin Beta 4)
A6HA-P87S
05/12/2026
05/15/2026



DECLARED IDENTITY

GHK-Cu, BPC-157, TB500
(Thymosin Beta 4)



MATRIX TYPE:

PEPTIDE BLEND

SAMPLE NAME:

GHK-Cu + BPC-157 + TB500
(Thymosin Beta 4)



59.56 mg
Total Quantity

SAMPLE SIZE:

50.0 mg

LOT CODE:


GLO50N042726



99.71%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	59.56 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	99.71%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
05/15/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
05/15/2026

ACCUMARKLABS.COM
A6HA-P87S
05/15/2026





Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

GHK-Cu + BPC-157 + TB500
(Thymosin Beta 4)
A6HA-P87S
05/12/2026
05/15/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	37.38 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.84%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	11.2 mg	MEASURED
BPC-157	PURITY	> 98.0%	99.44%	CONFORMS
TB500 (Thymosin Beta 4)	IDENTITY	TB500 (Thymosin Beta 4)	TB500 (Thymosin Beta 4)	CONFORMS
TB500 (Thymosin Beta 4)	QUANTITY	MEASURE	10.98 mg	MEASURED
TB500 (Thymosin Beta 4)	PURITY	> 98.0%	99.56%	CONFORMS

RESULTS CERTIFIED BY:

Anthony Burke PhD
Lab Manager
05/15/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
05/15/2026

ACCUMARKLABS.COM
A6HA-P87S
05/15/2026

