

PEXLITH

CERTIFICATE OF ANALYSIS

**GLOW 50 - GHK-CU (30mg) / BPC-157 (10mg)
/ TB500 (10mg)**

BATCH / LOT

GLO50N061226

TESTING DATE

2026-06-26

TESTING LABORATORY

Accumark Labs

Pexlith company branding. Laboratory test data, signatures and verification information retained.



Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

GHK-Cu + BPC-157 + TB500
(Thymosin Beta 4)
6SCR-9KLZ
06/22/2026
06/26/2026



DECLARED IDENTITY

GHK-Cu, BPC-157, TB500
(Thymosin Beta 4)



MATRIX TYPE:

PEPTIDE BLEND

SAMPLE NAME:

GHK-Cu + BPC-157 + TB500
(Thymosin Beta 4)



59.39 mg
Total Quantity

SAMPLE SIZE:

50.0 mg

LOT CODE:


GLO50N061226



99.77%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	59.39 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	99.77%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
06/26/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
06/26/2026

ACCUMARKLABS.COM
6SCR-9KLZ
06/26/2026





Pexlith

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

GHK-Cu + BPC-157 + TB500
(Thymosin Beta 4)
6SCR-9KLZ
06/22/2026
06/26/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	37.92 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.963%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	10.96 mg	MEASURED
BPC-157	PURITY	> 98.0%	99.17%	CONFORMS
TB500 (Thymosin Beta 4)	IDENTITY	TB500 (Thymosin Beta 4)	TB500 (Thymosin Beta 4)	CONFORMS
TB500 (Thymosin Beta 4)	QUANTITY	MEASURE	10.51 mg	MEASURED
TB500 (Thymosin Beta 4)	PURITY	> 98.0%	99.7%	CONFORMS

RESULTS CERTIFIED BY:

Anthony Burke PhD
Lab Manager
06/26/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
06/26/2026

ACCUMARKLABS.COM
6SCR-9KLZ
06/26/2026

